

2022 Land Use Permits											
NUMBER	DATE RECD	DATE APPRVD	PROPERTY ADDRESS	LAST	FIRST	ZONE	PIN	DESCRIPTION	FEE	Check#	Condition(s)
01-22	1/7/22	1/21/22	13435 Meyer Lake Rd	Soller	Dan & Betty	SR	22320501	Construct a 40' x 60' (2,400 sf) accessory structure	300	2757	Shall be located 20'+ to drainfield.
02-22	2/15	2/25	40535 Westman Bay Rd	Boyer	Chris & Wendy	SR	22280624	Replace and expand pre-existing dwelling with a 2,183 sf single family dwelling in accordance with Variance V-03-21.	450	10558	1) Stormwater mgmt and vegetation plans shall be implemented in full within one month after completion of project. Contact Justin at (218) 895-4151 to schedule site visit upon completion. 2) Temporary erosion control measures including silt fence and/or coir log shall be installed between dwelling site and lake prior to excavation.
03-22	2/21	2/25	17725 Emerald Dr	Gorrell	Matt	SR	22240553	Construct a 30' x 32' (960 sf) accessory structure.	200	3186	
04-22	3/7	3/18	17472 N. Eagle Lake Rd	Gleason	John	SR	22130537	Roof alteration on dwelling and construction of a 24' x 34' (816 sf) accessory structure. Revised 9/1/22 to include 10' x 12' (120 sf) deck and 5' x 7' (35 sf) in accordance with Variance V-04-22.	200	card	
05-22	3/7	3/18	39930 Majestic Rd	Gustafson	Steve & Kathy	SR	22320504	Construct 24' x 48' (1,152 sf) accessory structure	200	8116	
06-22	4/1	4/4	17535 Emerald Dr	Grotbo	Tom & Stephanie	SR	22240545	Construct a 12' x 14' (168 sf) deck attached to dwelling.	100	9739	
07-22	11/2/21	5/9	43322 Buck Trl	Hiler	Dylan	SR	22130579	Less than 10 cu yd grading in SIZ I	100	card	1) Silt fence shall be properly installed prior to site grading 2) No work allowed in delineated wetland without CWC approval
08-22	5/9	5/20	16249 Eagles Turn	Anderson	Mark	SR	22230523	Construct fire pit/patio in SIZ 2, 40' long retaining wall, and patio outside lake setback.	200	1538	1) Vegetation located in the area located landward of retaining shall and east of the stairway shall not be maintained and shall be allowed to grow naturally. 2) No additional trees may be removed from the lake setback.
09-22	5/9	5/11	40483 Westman Bay Rd	King	Peter	SR	22280605	Construct a 50' x 78' (3,900 sf) dwelling (storage building with living quarters).	550	3567	

NUMBER	DATE RECD	DATE APPRVD	PROPERTY ADDRESS	LAST	FIRST	ZONE	PIN	DESCRIPTION	FEE	Check#	Condition(s)
10-22	5/24	6/3	tbd Red Fox Ln	Gibson	Gregory & Shari	RR	22280648	Construct a new driveway	50	card	1) 8"+ culvert shall be installed per road supervisor.
11-22	5/23	6/3	17381 Buchite Rd	Buchite	Jim	SR	22360510	Construct 40' x 40' (1,600 sf) and 14' x 40' (560 sf) additions to existing dwelling.	300	card	1) Sidewall of building addition must be located 10'+ to septic tank per plans submitted.
12-22	5/26	6/3	43292 Buck Trl	Hilton	Amy & Jerry	SR	22130571	Annual (temporary) placement of recreational vehicle	50	card	RV must be located 10'+ to side property line and 75'+ to ordinary high water level
13-22	5/16	6/6	43322 Buck Trl	Hiler	Dylan	SR	22130579	Construct 28' x 36' (1,008 sf) single family dwelling.	350	5617	1) Prior to excavation, silt fence shall be installed at the top hill near lake setback. 2) Dwelling shall be located 10'+ to side property line per plans submitted.
14-22	5/31	5/31	40366 Co Rd 3	City of Fifty Lakes		C	22250500	Construct a 26' x 40' (1,040 sf) accessory structure (pavilion)	na	na	
15-22	5/23	6/10	14353 Grouse Ln	Hasslinger	Mike	SR	22280529	Construct a 14' x 24' (336 sf) and 6' x 10' (60 sf) additions to dwelling	100	1039	1) Dwelling addition shall be 10'+ to new septic tank per plans.
16-22	7/11	7/11	17405 Buchite Ln	Reed	James & Charlene	SR	22360506	Construct a 2,688 sf single family dwelling	450		
17-22	7/18	7/18	16857 N Eagle Lake Road	Schmidt	Gregory	SR	22240504	1) Replace 6' high retaining wall 2) Construct >4' high retaining wall behind existing water oriented accessory structure 3) Install 10 cu yd sand/rip rap.	200	card	1) Replacement retaining wall shall be constructed in accordance with engineered plans dated (7/15/22- B. Dobie #9798). 2) Retaining wall located behind water oriented accessory structure shall not encroach neighbor's property 3) Sand area shall not exceed 15' width 4) Swale or berm shall be constructed landward of sand area to prevent washout.
18-22	7/12	7/18	tbd Kego Lake Rd	O'Brien	Kenneth	SR	22260548	Construct 15' wide driveway	50		12" diameter culvert required
19-22	7/15	7/18	40481 Fox Glenn Dr.	Butenhoff	Earl	SR	22270570	Construct 32' x 36' x 48' (1,728 sf) accessory structure. Amended 12/19/22.	200	788 & 475	1) The building must be located 20'+ to the end of drainfield. Contact Justin @ (218) 895-4151 to verify location prior to construction
20-22	6/28	7/18	43333 County Road 136	Christianson	Jason	SR	22120501	Construct a 26' x 32' (832 sf) accessory structure and 12' x 15' (180 sf) patio with fire pit.	200	cash	200 sf of impervious surface.. Must be located 37.5'+ from OHW level.

NUMBER	DATE RECD	DATE APPRVD	PROPERTY ADDRESS	LAST	FIRST	ZONE	PIN	DESCRIPTION	FEE	Check#	Condition(s)
21-22	6/30	7/19	16309 W. Eagle Lake Rd	Heigl	Mark	SR	22230517	Construct a 10' x 10' (100 sf) deck addition	100	4325	1) Deck addition area may not be enclosed due to proximity to septic tank
22-22	6/10	7/25	16196 Zigmund Dr.	Fitcher	Joshua	SR	22110587	Construct a 30' x 40' (1,200 sf) accessory structure.	200	5325	1) Prior to excavation, silt fence shall be installed in areas adjacent to wetland. Silt fence shall remain in place until vegetation is established is exposed areas around garage.
23-22	7/25	7/25	17118 Hidden Lake Rd	Borrell	George & Mary	SR	22240535	Shoreline alteration- replace existing rip rap and add sand to existing sand area.	100	card	Total volume shall not exceed 10 cu yd.
24-22	7/22	8/1	40875 Kego Lake Rd	O'Brien	Kenneth	SR	22260563	Construct 4,442 sf single family dwelling, 40' x 54' (2,160 sf) accessory structure, and 20' x 20' (400 sf) accessory structure.	650	11911	1) Silt fence shall be properly installed between building site and wetland/lake prior to site grading- fencing shall remain in place until site is stabilized with vegetation 2) Porch on nw side of dwelling shall meet 75' setback
25-22	8/1	8/12	40862 W Fox Lake Rd	Stancer	Bob	SR	22280556	Replace timber supports on pre-existing water oriented accessory structure	50	9804	
26-22	8/8	8/12	40418 West Fox Lake Rd	Lano	Roger	SR	22280583	Construct 16' diameter patio with fire pit in SIZ 2	100	5390	Must be located 37.5'+ from OHW level
27-22	8/8	8/22	15634 Co Rd 1- Lot #4	Virgona	Terry	SR	22270543	Replace 8' x 8' shed with 8' x 8' shed	75	8964	
28-22	8/15	8/22	40258 West Fox Lake Rd	Williams	Mike	SR	22280575	Replace pre-existing water oriented accessory structure with smaller WOS- 16' x 26' (416 sf)	150	5558	1) Replacement structure must be located behind (landward) of the pine tree locted on the lakeside of existing structure. 2) Shall not be utilized for habitation or contain bathroom facilities
29-22	8/8	8/22	17011 Buchite Rd	Ness	Randy	RR	22360516	Construct 1,900 sf single family dwelling, 30' x 24' accessory structure (garage), 8' x 12' (96 sf) accessory structure (shed) and 10' x 12' (120 sf) accessory structure (shed).	450		
30-22	8/19	8/22	43953 Kego Lake Rd	Bailey	Jackie & Stuart	SR	22150514	Construct 190 sf of new patio area in SIZ 2, construct outdoor fireplace construct/replace stairs/walkways <4' wide, construct retaining wall < 4' height.	100		
31-22 (ATF)	8/26	8/26	40824 Peninsula Rd	Kovacevick	Keith	SR	22220566	After-the-fact- enclosed 10' x 12' (120 sf) deck per Variance V-01-22	600	9243	See conditions of variance approval
32-22	8/26	8/26	tbd Eaglewood Dr.	Witt	Mike	SR	22230531	Construct driveway	50	5385	

NUMBER	DATE RECD	DATE APPRVD	PROPERTY ADDRESS	LAST	FIRST	ZONE	PIN	DESCRIPTION	FEE	Check#	Condition(s)
33-22	8/22	8/29	17472 N Eagle Lk Rd	Gleason	John	SR	22130537	Construct 10' wide driveway	50	1052	1) Contact Justin Burslie at (218) 895-4151 to schedule an onsite meeting after final grade/swales established- prior to surfacing, installation of rock in swale area, and seeding. 2) Erosion control BMPs shall be utilized throughout construction process and shall remain installed until the driveway is surfaced and vegetation is established in areas adjacent to driveway.
34-22	9/6	9/6	16925 BUCHITE RD	Buchite	Toni	RR	22360515	Construct 30' x 42' one story addition above existing basement/foundation- no change in building footprint	50	cash	
35-22	9/12	9/12	43953 Kego Lake Rd	Bailey	Jacquelin	SR	22150514	Construct replacement 12' x 30' (360 sf) deck	100	5977	
36-22	8/19	9/16	15659 N Fox Beach Rd	Anderson	Mark	SR	22220580	Construct a 32' x 40' (1,280 sf) accessory structure	200	18102	
37-22	8/19	9/16	15659 N Fox Beach Rd	Anderson	Mark	SR	22220580	Add less than 10 cu yd sand to existing sand area	100	18102	
38-22	8/22	9/23	17587 Emerald Dr.	Stevenson	Mitch	SR	22240546	Construct 10' x 14' (240 sf) dwelling addition and 8' x 20' (160 sf) deck addition	100	7421	
39-22	9/16	9/23	40640 West Fox Lake Rd	Soby	Dayton & Ruth	SR	22280544	12' x 17.5' (210 sf) dwelling addition in accordance with Variance V-03-22	200	14242	
40-22	9/26	9/26	15122 County Rd 1	Thalacker	Bruce & Linda	SR	22270579	Construct a 2,100 sf single family dwelling	450	card	
41-22	9/24	9/30	40622 West Fox Lake Rd	Neihart	Kenneth	SR	22280546	Construct a 11' x 18' (198 sf) dwelling addition (three season porch) in accordance with Variance V-02-22	100	2009	
42-22	10/4	10/10	16685 N Mitchell Lake Rd	Meyer	Neal	SR	22110546	1) Construct 2,649 sf single family dwelling within OHW level setback in accordance with Variance V-06-20 2) Construct 75 sf deck on north side of dwelling	150	2750	See conditions of variance approval
43-22	10/10	10/14	15246 County Road 1	Phillips	Trevor & I	SR	22270591	1) Construct 6' high privacy fence 2) Replace 8' x 11' deck 3) Construct 8' x 10' accessory structure	100	1005	
44-22	10/3	10/14	17158 Hidden Lake Rd	Dheilly	Paul	SR	22240537	Construct 2,649 sf single family dwelling & 12' x 20' (240 sf) deck	450	7992	Silt fence prior to excavation
45-22	10/4	10/14	16687 W. Eagle Lake Rd	Delcotto	Tim	SR	22140509	Construct a 28' x 36' (1,008 sf) accessory structure	200	8405	
46-22	10/19	10/24	16263 Co Rd 1	Fussy	Michelle	WOC	22260532	Construct a 30' x 40' (1,200 sf) accessory structure.	200	4063	May not exceed 25' height
47-22	10/7	10/21	tbd Majestic Rd	Kent	Brenton & Alison	SR	22320528	Construct 14' wide driveway	50	6506	
48-22	11/4	11/4	40064 County Road 1	Raph	Tracy	AG	22330519	(Temporary) placement of an 8' x 8' (64 sf) accessory structure	75	cash	

